



Search



MSDS : EZS-D SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT
CAS : 107-21-1
NAME : ethylene glycol, glycol
vol organic cmpd: <175 gm/l

=====
Product Identification
=====

MSDS NAME: EZS-D SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT
NIIN: 00F021676
MSDS Number: BMMJK
=== Responsible Party ===
Company: TRU-TEST MANUFACTURING CO
Address: 201 JANDUS RD
City: CARY
State: IL
ZIP: 60013
Info Phone Num: (708) 639-5383
Emergency Phone Num: (800) 228-5635
CAGE: TRUTE
=== Contractor Identification ===
Company: TRU-TEST MANUFACTURING CO
Address: 201 JANDUS RD
Box: City: CARY
State: IL
ZIP: 60013
Country: US
Phone: 708-639-5383
CAGE: TRUTE

=====
Composition/Information on Ingredients
=====

Name: ETHYLENE GLYCOL, GLYCOL
CAS: 107-21-1
RTECS #: KW2975000
Fraction by Wt: <5%
Other REC Limits: 10 MG/CUM
OSHA PEL: 50 PPM
ACGIH TLV: C 127 MG/CUM
EPA Rpt Qty: 1 LB
DOT Rpt Qty: 1 LB

Name: VOL ORGANIC CMPD: <175 GM/L
RTECS #: 9999999V0

=====
Hazards Identification
=====

Routes of Entry: Inhalation: YES Skin: YES Ingestion: NO
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: EYES/SKIN: IRRITATION. INHALATION:
NOSE, THROAT, MUCOUS MEMBRANES OF RESPIRATORY TRACT IRRITATION.
Explanation of Carcinogenicity: NONE
Effects of Overexposure: EYES/SKIN: IRRITATION. INHALATION: NOSE, THROAT
& MUCOUS MEMBRANES OF RESPIRATORY TRACT IRRITATION.

=====
First Aid Measures
=====

Eyes: FLUSH W/FRESH WATER. SKIN: WASH W/ SOAP & WATER.
INHALATION: REMOVE TO FRESH AIR. GIVE CPR OR OXYGEN IF NEEDED.

INGESTION: GIVE 1 OR 2 GLASSES OF WATER. DON'T INDUCE VOMITING.
OBTAIN MEDICAL ATTE NTION IN ALL CASES.

=====
Fire Fighting Measures
=====

Extinguishing Media:FOAM, CO2 & WATER FOG
Fire Fighting Procedures:TREAT AS A VOLATILE LIQUID FIRE. WATER SPRAY
MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERRED.
CLOSE CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT.
Unusual Fire/Explosion Hazard:WATER MAY BE USED TO COOL FIRE EXPOSED
CONTAINERS TO PREVENT PRESSURE BUILD-UP/EXPLOSION & AUTO-IGNITION
WHEN EXPOSED TO HEAT. FLAMMABLE LIQUID.

=====
Accidental Release Measures
=====

Spill Release Procedures:DIKE & CONTAIN SPILL W/INERT MATERIAL SUCH AS
SAND, EARTH ETC. TRANSFER LIQUID TO CONTAINERS FOR RECOVERY OR
DISPOSAL. KEEP SPILL OUT OF SEWERS & OPEN BODIES OF WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP FROM FREEZING.
Other Precautions:DON'T TAKE INTERNALLY. AVOID SKIN CONTACT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:WHEN SPRAYING USE APPROVED MECHANICAL FILTER
RESPIRATOR.
Ventilation:USE SUFFICIENT
Protective Gloves:AS REQUIRED
Eye Protection:SAFETY GLASSES/SPLASH GUARDS
Other Protective Equipment:FULL PROTECTIVE CLOTHING, EYEWASH FACILITY
Work Hygienic Practices:WASH HANDS BEFORE EATING, SMOKING OR USING
BATHROOM. REMOVE/LAUNDER CONTAMINATED CLOTHING.
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:212F
Vapor Density:

[Search More](#)



ALL PAGES On Chemical Property IN THIS GROUP

NAME	CAS
0401 CAR WASH	25155-30-0
0420 CAR WASH	25155-30-0
0445 CAR WASH	25155-30-0
PC/UA 943-925	7782-49-2 13494-80-9
PC/UA 943-212	7782-49-2 13494-80-9
EZS-1 SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT	107-21-1
EZS-7 SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT	107-21-1
EZS-8 SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT	107-21-1
EZS-11 SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT	107-21-1

EZS-12 SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT	107-21-1
EZS-14 SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT	107-21-1
EZS-15 SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT	107-21-1
EZS-16 SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT	107-21-1
EZS-17 SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT	107-21-1
EZS-D SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT	107-21-1
EZS-T SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT	107-21-1
EZS-P SUPREME EZ-KARE SEMI-GLOSS ENAMEL HOUSE PAINT	107-21-1
US 1 TRU-TEST ULTRA SATIN	111-90-0
US 7 TRU-TEST ULTRA SATIN	111-90-0
US 12 TRU-TEST ULTRA SATIN	111-90-0
US 100 TRU-TEST ULTRA SATIN	111-90-0
TPSM SMOOTH WHITE SUPREME TRU-TEX INT LATEX TEXTURE PAINT	12001-26-2 13983-17-0
TP-1 SAND TEXTURE WHITE	12001-26-2 13983-17-0
TP-7 SAND TEXTURE NAVAJO WHITE	12001-26-2 13983-17-0
626 TRU-TEST SUPREME PRIMER/SEALER	14807-96-6 64742-47-8
X0S-1 TRU-TEST SUPREME PRIMER/SEALER STAIN KILLER	14807-96-6 64742-47-8 64742-48-9
LIGHTWEIGHT BODY FILLER FOR 310 BODY REPAIR KIT PINT	26123-45-5 100-42-5 14807-96-6 50815-87-7
LIGHTWEIGHT BODY FILLER FOR 312 BODY REPAIR KIT QUART	26123-45-5 100-42-5 14807-96-6 50815-87-7
LIGHTWEIGHT BODY FILLER FOR 316 BODY REPAIR KIT JUMBO	100-42-5 14807-96-6 50815-87-7 26123-45-5
RED CREAM HARDENER FOR 310 BODY REPAIR KIT PINT	94-36-0 85-68-7
RED CREAM HARDENER FOR 312 BODY REPAIR KIT QUART	94-36-0 85-68-7
RED CREAM HARDENER FOR 316 BODY REPAIR KIT JUMBO	94-36-0 85-68-7
B1010-43W 40% POTASSIUM HYDROXIDE	7732-18-5 1310-58-3 56-81-5
SEALTIGHT POLY-JET JFR POLYMERIC SEALANT DELUXE 670 COPR GEAR COTE	65996-93-2
74863 KARALLOY E-Z CAST IRON	7440-02-0 1317-65-3 14542-23-5 7439-96-5 7782-42-5

1344-09-8
1312-76-1
7439-89-6
12001-26-2
7440-21-3

72823 KARALLOY E-Z CAST IRON

7782-42-5
1344-09-8
1312-76-1
7439-89-6
12001-26-2
7440-21-3
7440-02-0
1317-65-3
14542-23-5
7439-96-5

73548 KARALLOY E-Z CAST IRON

7440-02-0
1317-65-3
14542-23-5
7439-96-5
7782-42-5
1344-09-8
1312-76-1
7439-89-6
12001-26-2
7440-21-3

73549 KARALLOY E-Z CAST IRON

1317-65-3
14542-23-5
7439-96-5
7782-42-5
1344-09-8
1312-76-1
7439-89-6
12001-26-2
7440-21-3
7440-02-0

NIPLEX 100

139-02-6

1670 DECORATOR

57-55-6
13463-67-7

1682 DECORATOR

57-55-6
13463-67-7

1672 DECORATOR

57-55-6
13463-67-7

1683 DECORATOR

57-55-6
13463-67-7

1674 DECORATOR

57-55-6
13463-67-7

5851 DECORATOR

57-55-6
13463-67-7

1676 DECORATOR

57-55-6
13463-67-7

1678 DECORATOR

57-55-6
13463-67-7

1188 BARE ROD OR WIRE

7440-32-6
7429-90-5
7440-21-3
7439-89-6
7440-50-8
7439-96-5
7439-95-4
1314-13-2

1199 BARE ROD OR WIRE

7429-90-5

Free MSDS Search (Providing 250,000+ Material Properties)

Chemcas.com

Last modified: 01/29/2015 15:31:50